

## Replakyd 584

Technical DataSheet | Supplied by Resins & Plastics

Fatty acids-based alkyd resin in xylene. Suitable for air drying auto refinishing, low bake industrial stoving enamel and two pack polyurethane based coatings.

|                                      |   |
|--------------------------------------|---|
| <b>Product Type</b>                  | Alkyd Resins  |
| <b>Chemical Composition</b>          | Fatty acid-based alkyd resin  |
| <b>Product Status</b>                | COMMERCIAL  |
| <b>Applications/ Recommended for</b> | Coatings > Solvent-based<br>Coatings Markets > General Industrial /Maintenance<br>Coatings Markets > Automotive refinishing |
| <b>Bio Based</b>                     | Yes   |
| <b>Bio Based Content Comments</b>    | Fatty acid-based  |

## Replakyd 584 Properties

| Property                              | Value & Unit   | Test Condition | Test Method |
|---------------------------------------|----------------|----------------|-------------|
| <b>Non-volatile content@120°C/1hr</b> | 54 - 56 %      |                |             |
| <b>Oil length</b>                     | 42 %           |                |             |
| <b>Color</b>                          | < 6 Gardner    |                |             |
| <b>Viscosity@25°C</b>                 | 8 - 10 Gardner |                |             |
| <b>Acid value</b>                     | < 12 mg/KOH/g  |                |             |

Help us improve the Universal Selector

You can't find what you are looking for? Please report missing products / suppliers, point out errors, or simply tell us how we could make the Universal Selector better.

Send a Feedback